Adoption of Agricultural Production Practices: Lessons Learned from the U.S. Department of Agriculture Area Studies Project. By Margriet Caswell, Keith Fuglie, Cassandra Ingram, Sharon Jans, and Catherine Kascak. Resource Economics Division, Economic Research Service, U.S. Department of Agriculture. Agricultural Economic Report No. 792.

## **Abstract**

The U.S. Department of Agriculture Area Studies Project was designed to characterize the extent of adoption of nutrient, pest, soil, and water management practices and to assess the factors that affect adoption for a wide range of management strategies across different natural resource regions. The project entailed the administration of a detailed field-level survey to farmers in 12 watersheds in the Nation to gather data on agricultural practices, input use, and natural resource characteristics associated with farming activities. The data were analyzed by the Economic Research Service using a consistent methodological approach with the full set of data to study the constraints associated with the adoption of micronutrients, N-testing, split nitrogen applications, green manure, biological pest controls, pest-resistant varieties, crop rotations, pheromones, scouting, conservation tillage, contour farming, strip cropping, grassed waterways, and irrigation. In addition to the combined-areas analyses, selected areas were chosen for analysis to illustrate the difference in results between aggregate and area-specific models. The unique sample design for the survey was used to explore the importance of field-level natural resource data for evaluating adoption at both the aggregate and watershed levels. Further analyses of the data illustrated how the adoption of specific management practices affects chemical use and crop yields.

**Keywords:** Technology adoption, conservation

## **Acknowledgments**

The authors thank Miriam Stuart and William Lindamood for their integration of the data sets. We also thank Robbin Shoemaker, Darrell Bosch, Robert Kellogg, Bruce Babcock, and Steve Crutchfield for their support, advice, and reviews.

## **Contents**

Summ	ary	iv
1. Intr	oduction	1
	Background of Area Studies Project	
	Theory of Adoption Behavior	
	References	5
2. Data	a and Modeling Framework	7
_, _,	Summary of Area Studies Survey Data	
	Description of Areas Surveyed	
	Survey Instrument	
	Past Analyses of Area Studies Survey Data	13
	Normative Models	
	Positive Models	
	Unified Modeling Framework	
	Core Set of Variables	
	Farmer Characteristics	
	Production Characteristics	
	Agricultural Policies	
	Natural Resource Characteristics	
	Climate	
	Area Dummies	
	Appendix 2-A Logit Models	
	Appendix 2-A Logit Models	
	Appendix 2-B Interpreting Model Results	
	••	
3. Nuti	rient Management	
	Summary of Nutrient Management Practices and Data	
	Fertilizer Use	
	Nutrient Management Practices	
	Sources of Nitrogen Fertilizer Application Information	
	Adoption of Nutrient Management Practices	32
	Micronutrient Use)	32
	"Traditional" Practices (Legumes in Rotation or Manure Use)	
	Summary	
	References	
4. Pest	Management	
	Summary of Pest Management Practices and Data	
	Chemical Pest Management	
	Nonchemical Pest Management Practices and Services	
	Adoption of Pest Management Practices	
	Crop Regidue Destruction for Post Management	
	Crop Residue Destruction for Pest Management	
	Biological Controls	
	Summary	
	References	

<b>5.</b> So	il Management	.57
	Summary of Soil Management Practices and Data from the	
	Area Studies Survey	.57
	Adoption of Soil Management Practices	
	Adoption of Any Soil Conservation Practice	.59
	Soil Conservation Practices to Protect Water Quality	
	Conservation Tillage	
	Summary	.72
	References	.72
6. Wa	ater Management	.74
	Summary of Water Management Practices and Data	.74
	Adoption of Water Management Practices	.76
	Decision to Irrigate	.76
	Choice of Irrigation Practices	.81
	Summary	.82
	References	.83
<b>7</b> A 3	land's a Language Court Visite and Changes His	0.4
/ <b>.</b> Aa	option Impacts on Crop Yields and Chemical Use	<b>.8</b> 4
	Econometric Framework	
	Effects of Soil Conservation Practices on Chemical Use and Crop Yield	.04
	Soybeans in the Albemarle-Pamlico Drainage, Southern Georgia	
	Coastal Plain, Illinois/Iowa River Basins, Mississippi	0.5
	Embayment, and Central Nebraska River Basins	.0.
	White River Basins	00
	Effects of Pest Management Adoption on Chemical Use and	.oc
	Crop Yields	01
	Cotton in the Albemarle-Pamlico Drainage, Mississippi Embayment,	
	Southern Georgia Coastal Plain, and Southern High Plains	
	Corn in the Central Nebraska, Illinois/Iowa, and White	, , , ,
	River Basins	93
	Effects of Nutrient Management Adoption on Nitrogen Use	.,,
	and Crop Yields	94
	Corn in the Illinois/Iowa, Central Nebraska, and	
	White River Basins	95
	Effects of Irrigation on Chemical Use and Crop Yields	
	Corn in the Central Nebraska River Basins	
	Cotton in the Albemarle-Pamlico Drainage, Mississippi Embayment,	
	Southern Georgia Coastal Plain, and Southern High Plains 1	
	Summary	
	References	
	Appendix 7-A Econometric Model: Sample Self-Selection	
	in the Binomial Case	05
	Appendix 7-B Interpreting Model Results	
8. Co	onclusions	07
00	What We Learned About the Factors Influencing Farmers'	
	Use of Management Practices	07
	What We Learned About the Effects of Adoption on Chemical	. ,
	Use and Crop Yield	09
	Summary	

## **Summary**

The Area Studies Project was designed to characterize the extent of adoption of nutrient, pest, soil, and water management practices and to assess the factors that affect adoption for a wide range of management strategies across a range of natural resource regions. The project entailed the administration of a detailed field-level survey to farmers in 12 watersheds in the United States to gather data on agricultural practices, input use, and natural resource characteristics associated with farming activities. The data were analyzed by the Economic Research Service using a consistent methodological approach with the full set of data to study the constraints associated with the adoption of selected farming practices that may reduce environmental damages. In addition to the combined-areas analyses, selected areas were chosen for analysis to illustrate the difference in results between aggregate and area-specific models. The unique sample design for the survey was used to explore the importance of field-level natural resource data for evaluating adoption at both the aggregate and watershed levels.

The econometric analyses focused on the adoption of technologies and practices within four key management categories: nutrients, pests, soil, and water. The technologies compared were micronutrients, N-testing, split nitrogen applications, green manure, biological pest controls, pest-resistant varieties, crop rotations, pheremones, scouting, conservation tillage, contour farming, strip cropping, grassed waterways, and irrigation. Further analyses of the data illustrated how the adoption of specific management practices affects chemical use and crop yields.

There were several key findings.

- An operator's education had a significantly positive effect on his or her adoption of information-intensive technologies, such as the use of biological pest control or nitrogen testing. The increasing complexity of emerging technologies is a factor that needs to be considered by agencies or technology providers when targeting potential adopters. Technical assistance, demonstration, or consulting services may be necessary to promote adoption of certain preferred practices.
- Ownership of the surveyed field had less of an impact on practice adoption than we initially had expected—probably because most of the practices included in this study were not structural.
- The combined-area models represent the aggregation across very distinct watersheds. From a policy perspective, these results can be misleading. The unified modeling approach used shows how important information can be "lost" in the process of aggregation. Adoption incentives developed to address factors identified in the aggregate model may be appropriate for only one area and counterproductive for all others. While this "averaging problem" exists for all policies to some extent, the comparison of the combined-area and single-area models presented here illustrates the magnitude of the differences between the Area Studies regions.
- With respect to the effect of technology adoption on chemical use and yields, we found that, in general, the use of new technologies resulted in little reduction in chemical loadings and no yield decreases.